

FEMA's SCHEDULE OF EQUIPMENT RATES

**DEPARTMENT OF HOMELAND SECURITY
FEDERAL EMERGENCY MANAGEMENT AGENCY
RECOVERY DIRECTORATE
PUBLIC ASSISTANCE DIVISION
WASHINGTON, DC 20472**

on this Schedule of Equipment Rates are for applicant owned equipment in good mechanical condition, with all required attachments. Each rate covers all costs eligible under the Robert T. Stafford Disaster Relief Agency Assistance Act, 42 U.S.C. § 5121, et seq., for ownership and operation of equipment, including depreciation, overhead, all maintenance, field repairs, fuel, lubricants, tires, OSHA equipment and other costs of operation. Standby equipment costs are not eligible.

Equipment must be in actual operation performing eligible work in order for reimbursement to be eligible. LABOR AND OPERATOR ARE NOT INCLUDED in the rates and should be approved separately from equipment costs.

Information regarding the use of the Schedule is contained in 44 CFR § 206.228 Allowable Costs. Rates for equipment will be furnished by FEMA upon request. Any appeals shall be in accordance with 44 CFR § 206.206 Appeals.

**RATES ARE APPLICABLE TO MAJOR DISASTERS AND EMERGENCIES
DECLARED BY THE PRESIDENT ON OR AFTER August 15, 2019.**

Equipment Description				
Specifications	Capacity or Size	HP	Notes	
Air Delivery	41 CFM	to 10	Hoses included.	
Air Delivery	103 CFM	to 30	Hoses included.	
Air Delivery	130 CFM	to 50	Hoses included.	
Air Delivery	175 CFM	to 90	Hoses included.	
Air Delivery	400 CFM	to 145	Hoses included.	
Air Delivery	575 CFM	to 230	Hoses included.	
Air Delivery	1100 CFM	to 355	Hoses included.	
Air Delivery	1600 CFM	to 500	Hoses included.	
		to 150		
		to 210		

	Engine 110cc, 4-Wheel; 20" tyre		6.5-7.5	
	Engine 125cc, 4-Wheel; 21" tyre		7.6-8.6	
	Engine 150cc, 4-Wheel; 22" tyre		9.0-10.0	
	Engine 200cc, 4-Wheel; 24" tyre		12-14.0	
	Engine 250cc, 4-Wheel; 24" tyre		15-17	
	Engine 300cc, 4-Wheel; 24" tyre		18-20	
	Engine 400cc, 4-Wheel; 25" tyre		26-28	
	Engine 450cc, 4-Wheel; 25" tyre		26-28	
	Engine 650cc, 4-Wheel; 25" tyre		38-40	
	Engine 750cc, 4-Wheel; 25" tyre		44-46	
	Size	50'x35'x7.25'	0	Push by Tug-Boat
	Size	50'x35'x9'	0	Push by Tug-Boat
	Size	120'x45'x10'	0	Push by Tug-Boat
	Size	160'x45'x11"	0	Push by Tug-Boat
	Size	55'x20'x5'	to 870	Steel.
	Size	60'x21'x5'	to 1050	Steel.
	Size	70'x30'x7.5'	to 1350	Steel.
	Size	120'x34'x8'	to 2000	Steel.
	815AGIS Airboat w/spray unit	15'x8'	400	
	815AGIS Airboat w/spray unit	15'x8'	425	
	Conquest		360	
			0	Heavy duty.
	Size	13'x5'	to 50	Outboard.
	Size	14'x7'	to 100	Inboard with 360 degree
	Size	45'x21'x6'	to 435	Flat hull.
	Size	54'x21'x6'	to 525	Flat hull.
	Size	58'x24'x7.5'	to 705	Flat hull.
	Size	64'x25'x8'	to 870	Flat hull.
	Length	16 Ft	to 100	
	Length	18 Ft	to 175	
	Length	26 Ft	to 250	

	Bar Length = 16 in	2.5 cu in	2.4	
	Bar Length = 25 in	7.5 cu in	3.62	
	Bar Length = 18 in	4.0 cu in	3.2	
	model 748 E		to 173	
	model 648 G11		to 177	
	Cutter Size	8 ft	to 150	
	Cutter Size	8 ft	to 190	
	Cutter Size	10 ft	to 245	
	Cutter, Brush - 247 hp, 1997 Model 511 Feller		to 247	
	40 ft		0	
	Chipping Capacity	6 In	to 35	Trailer Mounted.
	Chipping Capacity	9 In	to 65	Trailer Mounted.
	Chipping Capacity	12 In	to 100	Trailer Mounted.
	Chipping Capacity	15 In	to 125	Trailer Mounted.
	Chipping Capacity	18 In	to 200	Trailer Mounted.
	model Barko 595 ML		to 173	
	model 210 w/ Buck Saw 50 inch Bar		to 240	
		149,999 lbs	to 235	Bucket not included in ra
		250,000 lbs	to 520	Bucket not included in ra
			to 240	Bucket not included in ra
	BW100AD-3		33	
er	Single Drum Vibratory Compactor	to 2.9 Ton	28	
			to 10	
1			to 45	Plus tow Truck
			to 75	
			to 100	
			to 300	
			to 400	
			535	
neel	Hercules PT-11.	10,000 lbs		11-Wheels (Towed)

	Capacity	10 CY	0	Does not include Clamsf Dragline
	Capacity	14 CY	0	Does not include Clamsf Dragline
	Bucket Capacity	0.5 CY	to 45	Crawler, Truck & Wheel. Includes bucket.
	Bucket Capacity	1.0 CY	to 90	Crawler, Truck & Wheel. Includes bucket.
	Bucket Capacity	1.5 CY	to 160	Crawler, Truck & Wheel. Includes bucket.
	Bucket Capacity	2.5 CY	to 265	Crawler, Truck & Wheel. Includes bucket.
	Bucket Capacity	4.5 CY	to 420	Crawler, Truck & Wheel. Includes bucket.
	Bucket Capacity	7.5 CY	to 650	Crawler, Truck & Wheel. Includes bucket.
	Bucket Capacity	12 CY	to 1000	Crawler, Truck & Wheel. Includes bucket.
	2007 model Gradall XL3100 III		184	
	2003 model Gradall XL4100 III		238	
	2006 model Gradall XL5100		230	
	Diameter	48 In	to 12	
	Capacity	6000 Lbs	to 60	
	Capacity	12000 Lbs	to 90	
	Capacity	18000 Lbs	to 140	
	Capacity	50000 Lbs	to 215	
	Diesel, CAT TH360B	6600-11500 gvwr lbs	94.9	3.1- 3.5 Mton
	Diesel, CAT TH460B	9000 Lbs	94.9	4.5 - 4.9 Mton
	Diesel, CAT TH560B	10000 Lbs	117.5	4.5 - 4.9 Mton
	2003 ACS Paddle Fork		0	
	Prime Output	5.5 KW	to 10	
	Prime Output	16 KW	to 25	
	Prime Output	60KW	to 88	
	Prime Output	100 KW	to 125	
	Prime Output	150 KW	to 240	
	Prime Output	210 KW	to 300	
	Prime Output	280 KW	to 400	

	Diameter	12 In	0	Per 25 foot length. Includ couplings.
	Diameter	16 In	0	Per 25 foot length. Includ couplings.
	Diameter	3 In	0	Per 25 foot length. Includ couplings.
	Diameter	4 In	0	Per 25 foot length. Includ couplings.
	Diameter	6 In	0	Per 25 foot length. Includ couplings.
	Diameter	8 In	0	Per 25 foot length. Includ couplings.
	Diameter	12 In	0	Per 25 foot length. Includ couplings.
	Diameter	16 In	0	Per 25 foot length. Includ couplings.
	Bucket Capacity	0.5 CY	to 32	Includes bucket.
	Bucket Capacity	1 CY	to 60	Includes bucket.
	Bucket Capacity	2 CY	to 118	Includes bucket.
	Bucket Capacity	3 CY	to 178	Includes bucket.
	Bucket Capacity	4 CY	to 238	Includes bucket.
	Bucket Capacity	0.5 CY	to 38	
	Bucket Capacity	1 CY	to 60	
	Bucket Capacity	2 CY	to 105	CAT-926
	Bucket Capacity	3 CY	to 152	
	Bucket Capacity	4 CY	232	
	Bucket Capacity	5 CY	255	
	Bucket Capacity	6 CY	to 305	
	Bucket Capacity	7 CY	to 360	
	Bucket Capacity	8 CY	to 530	
	Bucket Capacity	0.87 CY	to 80	Case 580 Super L
	Batching Capacity	10 Cft	8	Diesel Powered
	Batching Capacity	12 Cft	11	Gasoline Powered
	Batching Capacity	11 Cft	to 10	
	Batching Capacity	16 Cft	to 25	
	Mixer Capacity	13 CY	to 300	

	Width	to 15 Ft	0	Include truck for total cost
	Width	to 15 Ft	0	With leveling wing. Include truck for total cost
	Mounting	Tailgate, Chassis	0	Truck not included
	Mounting	Dump Body	0	Truck not included
	Mounting	Truck (10yd)	0	Truck not included
	Capacity	5 CY	to 4	Trailer & truck mounted.
	10 MTC	2" Pump	to 7	10,000 gph
	Centrifugal, 8M pump	2" - 10,000 gal/hr.	to 4.5	Hoses not included.
	Diaphragm pump	2" - 3,000 gal/hr.	to 6	Hoses not included.
	Centrifugal, 18M pump	3" - 18,000 gal/hr. pump	to 10	Hoses not included.
			to 15	Hoses not included.
			to 25	Hoses not included.
			to 40	Hoses not included.
	4" - 40,000 gal/hr.	4" - 40,000 gal/hr.	to 60	Hoses not included.
			to 95	Hoses not included.
			to 140	Hoses not included.
			to 200	Hoses not included.
			to 275	Does not include Hoses.
			to 350	Does not include Hoses.
			to 425	Does not include Hoses.
			to 500	Does not include Hoses.
			to 575	Does not include Hoses.
			to 650	Does not include Hoses.
	Max. Platform Height	40 Ft		Add this rate to truck rate total lift and truck rate
	Max. Platform Height	61 Ft		Add this rate to truck rate total lift and truck rate
	Max. Platform Height	80 Ft		Add this rate to truck rate total lift and truck rate
	Max. Platform Load - 600Lbs	81 Ft -100 Ft. Ht.		Articulated and Telescoping Add this rate to truck rate total lift and truck rate
	Max. Platform Height	37 Ft. Ht.	to 15	Articulated, Telescoping, Scissor.
				Articulated, Telescoping

Scraper Capacity	44 CY	to 604	
Operating Capacity	976 - 1250 Lbs	to 36	
Operating Capacity	1751 - 2200 Lbs	to 66	
Operating Capacity	2901 to 3300 Lbs	to 81	
Capacity	600 Tph	to 75	Does not include truck
Capacity	1400 Tph	to 200	Does not include truck
Capacity	2000 Tph	to 340	Does not include truck
Capacity	2500 Tph	to 400	Does not include truck
Cutting Width	25 in	to 5	
Cutting Width	60 in	to 15	
Capacity	2,000 Tph	to 400	
Capacity	2,500 Tph	to 500	
Capacity	3,500 Tph	to 600	
Snow Remover	26ft Plow, 20ft Broom + Airblast	428	Equip with Plow & Bro
RM300	96"W x 20"D	350	Soil Stabilization, Recla
H-Series		420	Equip with Broom
1300-2000 gal	173"Lx98"Wx51"H	5.5	Hydro Pump w/100' 1/2"
Loader Bucket Capacity	0.5 CY	to 40	Loader and Backhoe Buc included.
Loader Bucket Capacity	1 CY	to 70	Loader and Backhoe Buc included.
Loader Bucket Capacity	1.5 CY	to 95	Loader and Backhoe Buc included.
Loader Bucket Capacity	1.75 CY	to 115	Loader and Backhoe Buc included.
Tank Capacity Mounted on Trailer	550 Gal	16	burners, insulated tank, a circulating spray bar.
Tank Capacity Mounted on Trailer	1000 Gal	38	Truck Mounted. Includes burners, insulated tank, a circulating spray bar. Inc truck rate.
Tank Capacity Mounted on Truck	4000 Gal		Truck Mounted. Includes burners, insulated tank, a circulating spray bar. Inc truck rate.
ETNYRE Oil Distributor Model - PB348		300	
		380	

	Working Capacity	10 TPH	to 55	
	Working Capacity	20 TPH	to 120	
	Soil Recycler WR 2400	w 317 gal fuel tank	563	
	Double Belly Bottom-dump Trailer	26 CY of soil in one dump	330	13 CY of soil each berry
	Barber Beach Sand Rake 600HDr, towed		0	Towed by Beach vehicle
	Wildcat 626 Cougar Trommel Screen chipper w belt		125	
	Trailer Size	8' x 24'	0	Cargo Size 16ft
	Trailer Size	8' x 32'	0	Cargo Size 24ft
	Trailer Size	10' x 32'	0	Cargo Size 20ft
	Haz-Mat Equipment trailer	8'x18'	0	Move by Tractor to Local
	(7' X 16')		0	Move by Tractor to Local
	8' x 24' shower trailer- 12 showers		101	
	8' x 32' flatbed water	25,000 MGWV	200	4x2-Axle
			to 40	Walk-behind, Crawler & 1 Mounted. Chain and Whe
			to 85	Walk-behind, Crawler & 1 Mounted. Chain and Whe
	2008 Griswold Trenchbox		0	
	Plow Depth	24 in	to 30	
	Plow Depth	36 in	to 65	
	Plow Depth	48 in	to 110	
	Max. Boom = 60 Ft, 12,000 Ft-Lb Hydraulic	Lift Capacity 15,500 Lbs	275	Includes hydraulic pole alignment attachment. Ir truck rate
	Max. Boom = 90 Ft, 14000 Ft-Lb Hydraulic	Lift Capacity 26,700 Lbs	310	Includes hydraulic pole alignment attachment. Ir truck rate
	28-32 ton Head	134KW	178	Sonic Sidegrip Vibratory Driver
er	Pump/Tank Capacity	3000gpm/1000 gal Water or Foam	600	2-1000gpm Nozzles 1-Ea side of Platform
	Pump/Tank Capacity	1000GPM/300gal		Engine, with Pump & Rol
	Pump/Tank Capacity	500GPM/300gal		Engine, with Pump & Rol
	Pump/Tank Capacity	150gpm/500gal.	115-149	Hose 1-1/2"D 500' Long

	6 ton		0	
	Hopper Capacity	5 CY	50	Truck Mounted. (350 gal)
	Hopper Capacity	14 CY	60	Truck Mounted. (1500 Gal)
	800 Gal Spoils/400 Gal Water	500/800 gal	190	with water & waste Tanks
	1500 gal Water	15 Cu Yd	330	with water & waste Tanks
	model LP555DT	36 - Hp pump	36	Towed by tractor
	Tow by Truck 22,000 cfm capacity		85	Leaf Vac + Truck Code 8
	60,000 GVW		400	
	model 2007 Barber		0	Towed by tractor
	Struck Capacity	8 CY	to 220	
	Struck Capacity	10 CY	to 320	
	Struck Capacity	12 CY	to 400	
	Struck Capacity	14 CY	to 400	
	Struck Capacity	28 CY	to 450	
	Struck Capacity	18 CY	to 400	
	Capacity	25 CY	to 255	
	Capacity	32 CY	to 325	
	Environmental Beta Attenuation Air Monitor		0	Powered by Solar System
	that can stop a vehicle at 60 mph		0	
	2004 Truck Mounted for 60 mph		0	
	1987 Chevy Kodiak 70		175	
	Special Service Canteen Truck		350	
	model MT10FD		300	
	light duty, class 1		225-300	
	light duty, class 2		225-300	
	light duty, class 1		225 - 300	
	light duty, class 2		225-300	
			to 30	
			to 10	
	GVW=50534	56 Passenger + 1-Driver	430	Passenger Transportation

1 3/4-ton Pickup Truck	4x2-Axle	300	
3/4-ton Pickup Truck	4x2-Axle	165	
3/4-ton Pickup Truck	4x4-Axle	285	Crew
1-ton Pickup Truck	4x4-Axle	340	Crew
1 1/4-ton Pickup Truck	4x4-Axle	360	Crew
1 1/2-ton Pickup Truck	4x4-Axle	362	Crew
1 3/4-ton Pickup Truck	4x4-Axle	362	Crew
2005 JCB Grapple Claw		0	
2005 ACS Grapple Bucket		0	
Debris/Log (Knuckleboom Loader/Truck)		230	
Cat 16 engine		700	
model Cat 525B		up to 160	
40K lbs- model Cat 525C		161 and up	
fuel and lube	up to 26,000 gwvr	215-225	
2009 International 1,800 gal. storage tank		200	
(8' X 28') with 7.5 KW Generator		0	Move to Location by Trac
(8' X 31') with 4.5 KW Generator?		0	Move to Location by Trac
(unified) (RV) Ulitimaster MP-35	43 FT Long with Generator	400	
(RV) (In- Motion)	22-Ft Long	340	
(RV) (Stationary) w/9.6 KW Generator	22-Ft Long	340	
48'x8' Trailer, Fully Equiped Mobile Command Center	48-Ft Long	0	Move to Location by Trac
48'x8' When being Moved w/Truck Tractor		310	
43'x8.5' x 13.5'H with self 30kw Generator		280	Generator Rate not inclu
2007-Freightliner MT-55, (RV)		260	
1990- Ford Econoline-Communication Van		230	Communication Equipme
47.5' X 8.75 Fully Equip' (In motion) (RV)		410	
47.5' X 8.75 Fully Equip' (Stationary)		410	
53' X 8.75 Fully Equip		480-550	

	Overhead Wire Pulling Machine		30	Overhead/Underground Pulling Machine
	3000 Lbs			Overhead Wire Tensioning Machine
	model 2008 Genie Scissor Lift	1000 Lbs		24 Volt

Volunteer Labor Record

Date: _____

DR/EM# _____ Applicant: _____

Local Documenting Official: _____

Last	Volunteer Name	Time In	Time Out	Total Hours	Address/Location of Worksite	Detailed Description of Work (Debris Removal, Tarp Roofs, etc.)
Sample: Doe	First Jane	8:00am	13:00pm	5	123 Main St. Anywhere, TX	Moved debris blocking driveway from Anywhere Elementary School

Page _____ of _____